

**METHOD AND APPARATUS FOR
FACILITATING SHIPMENT OF PACKAGES**

BACKGROUND OF THE INVENTION

Field of the Invention

[0001] The invention relates to an improved shipping method and system for facilitating shipments and management thereof, and more particularly to such a system and method for facilitating a shipment of a package of items from a Sender to a Recipient through one of a multitude of shipping mechanisms.

Description of the Related Art

[0002] Individuals and companies rely heavily on the timely and accurate shipment of packages to both national and international destinations. Economic transactions, at one time mostly limited to local or regional transactions, have expanded in scope to include virtually every country in the world. Many factors have led to this, including consumer demand in one area for a product from another area, and the manufacturing of an item in a particular area to take advantage of local skills, resources, or labor rates. Accordingly, package shipments have become ever more important and frequent. The term "shipment" as used herein encompasses any flow of goods from a Sender to a Recipient, including returns of items to the Sender.

[0003] While some of the very largest companies may have their own systems for shipping packages, in general a Sender (i.e., the entity originating the shipment) that desires to ship a package to a destination will employ a designated shipping company, or shipper, to effect the delivery of the package. The terms "shipper" and "shipping mechanism" will be used interchangeably herein to refer to any entity or entities responsible for effecting shipment of packages. Such a Sender must take into account many factors. As an example, a Sender may desire to determine the optimal shipper and shipment method (e.g., air or ground) based on shipping cost, speed of delivery, the shipper's expertise in handling a particular type of shipment or destination, or other particularities associated with each shipper and shipment method. The term "shipping assignment" as used herein means a particular shipper/shipment method combination. The Sender must keep track of a myriad of shipment-specific

0996825 113001
FOOET 52856560

09996825-113001
TOOET-52396660

A second aspect of the invention is an apparatus for facilitating the shipment of a package containing items from a Sender to a Recipient. The apparatus comprises a processor having a database for storing and processing package data including item data; a Sender's terminal for selectively communicating with the processing system; a first communications link adapted for selectively enabling communication between the processing system and the Sender's terminal, for selectively transmitting the package data from the Sender to the processing system, and for selectively transmitting the package data relating to a selected package to the Sender's terminal responsive to the Sender's query; a shipper's terminal; a second communications link for selectively communicating between the processing system and the shipper's terminal; a customs facilitator terminal; and a third communications link for selectively communicating between the processing system and the customs facilitator terminal.

BRIEF DESCRIPTION OF THE DRAWING

[0010] The preferred embodiments of the invention may be more easily understood by reference to the following Figures, in which:

[0011] Figure 1 is a flow chart of the method for pre-processing of shipment data according to the preferred embodiment of the invention;

[0012] Figure 2 is a flow chart of the method for processing of shipment data according to the preferred embodiment of the invention;

[0013] Figure 3 is a flow chart of the method for package processing according to the preferred embodiment of the invention;

[0014] Figure 4 is a flow chart of the method for updating a database of shipment data according to the preferred embodiment of the invention;

[0015] Figure 5 is a flow chart of the method for processing shipment returns according to the preferred embodiment of the invention; and

[0016] Figure 6 is a schematic diagram of a computer system according to the preferred embodiment of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

[0017] A preferred embodiment of the invention is a shipment data tracking system and method in which each item in an order can be tracked individually, regardless of the physical package in which it is shipped. Accordingly, returns can be handled on an item-by-item basis, rather than on a shipment-by-shipment basis. The Sender can easily refund all charges, including any duties, taxes, or customs fees that were assessed, upon return of the item or the package. Further, items are correlated to an accurate description thereof to facilitate customs clearance of each item. Detailed shipment information is entered and stored in a central database. Each package, and each item in each package, can be tracked and the results made available over a network, such as the Internet. This audit trail allows the Sender, the Recipient, or any other authorized user to query the database and view shipping and return information, including package information, tracking information, invoices, pending refunds, and the like. Furthermore, forms can be requested from the database via the Internet and subsequently printed by an authorized user. Such forms may include address labels, shipping labels, customs manifests, and related documents.

[0018] The most cost-effective shipping assignment can be selected by the system based on various criteria, including the Sender's parameters, the weight of the package, the value of the items, the description of the items, the country of dispatch, and the destination. User-defined input can override the system's selections at various points based on external criteria. Further, all required documentation can be completed by the system and accessed over a network such as the Internet to allow on-site printing.

[0019] Returns and undelivered packages can be efficiently handled. Multiple returns centers in multiple cities or countries can use the system simultaneously. Senders do not have to provide additional data or take any other actions as the system uses data already in the database. Authorized users may retrieve the relevant shipment data based on various search criteria, such as order number, tracking

099625-113001
T0057-5289660

number, the Recipient's name, or the Recipient's postal code, and edit the data to reflect details of the return. Those details may include which items were returned, reasons provided by the Recipient, and the disposition sought, such as exchange or refund.

[0020] As illustrated in Figure 1, the first step in the process is the pre-processing of package data. Package data is initially received, in step 112, from the Sender, and rendered as record 616 into a format that can be entered into database 602 (Fig. 6). There can be one record 616 per package or plural records 616 per package, or package data for plural packages can be stored in a single record.

[0021] Databases are generally known, and are basically electronic filing systems for collections of information organized in such a way as to allow users to select desired pieces of data. One type of database is organized by fields, records, and files. A field is a single piece of information; a record is a complete set of fields; and a file is a collection of records. Database information can be accessed through a database management system (DBMS), which is a collection of programs that enables a user to enter, organize, and select data in a database. The term "database" as used herein should be understood to encompass any collection of information. The term database should further be understood to encompass both single-computer databases and distributed databases running on several computers or other devices.

[0022] The package data can include item data. The term "item data" as used herein refers to data relating to the characteristics of items in the package. Item data may include data indicative of the identity, size, weight, value, quantity, and country of origin of each item. The package data may also include the country of dispatch, value, destination, weight, Sender's name, Recipient's name, etc. The package data will be used later by the system to determine, on a package-by-package basis, the optimal shipping assignment. The preferred embodiment allows the Sender to transmit the package data in almost whatever format the Sender chooses to use. This includes such variations as data transmissions using a standard format, data "dumps" from the Sender's order-taking system, spreadsheets attached to E-mail messages, or physical embodiments such as copies of packing slips. Naturally, the farther the data

is from being ready to be inputted into the system, the more manipulation the data needs prior to input. For example, if the shipment data is in an electronic form that can be directly added to the database, then intermediate manipulations of the data are minimized. On the other hand, if the data is in the form of, for example, an E-mail attachment or a facsimile, then the data may need to be manually formatted for input into the database.

[0023] Even if the data has been fully prepared by the Sender, a data integrity check, in step 114, may initially be performed on the received data to ensure that any necessary information is included and is generally correct based on pre-defined rules or limits. For example, the package data may contain improperly formatted postal codes. Should the data fail such an integrity check, the errors can be corrected automatically or manually, in step 116, such as by contacting the Sender for more or correct information.

[0024] The data may then be additionally evaluated, in step 118, to ensure that it is in a pre-defined standard format. Using the example from above, if shipment data has been received in the form of an E-mail attachment, it may need to be formatted to be entered into database 602. Such formatting is generally well known. For example, various known algorithms can be used to convert data from one format to another.

[0025] Each Sender may introduce peculiarities into its data on a consistent basis. For example, a particular Sender may prefer to submit package data in metric rather than English measurements. Therefore, it may be preferred to run the package data through a Sender-specific pre-processing program, in step 122, which can correct for these anomalies, in step 124, and further ensure sufficient data uniformity. Again depending on the Sender, a review of the fixes performed by the prior steps may be performed at this point and the necessary adjustments made to the package data, in step 126. The data is finally entered, in step 128, into the database. At this time, if the Sender has not already affixed one, a bar code label or other identification mechanism can be generated and affixed to the package to correlate the package data to the physical package.

[0026] The formatted data is then run through processing steps, as indicated in Figure 2, by processor 600 in communication with the database 602 (Fig. 6). The processor is preferably a programmable computer running software that can read data from database 600 and accomplish the other functionality described herein. However, the processor can be any logic device for accomplishing functionality similar to that described herein. The first of these processing steps is evaluating the package data from a particular shipment making a shipping assignment for each package, in step 214. This assignment can be made based on a number of package-specific and item-specific variables contained in the package data, including the Sender's relative preferences for speed versus cost of delivery. For example, a particular Sender may more highly value a faster delivery time relative to a lower cost, while another Sender may more highly value an economical shipment cost relative to a faster deliver time. If these preferences are in the database associated with each Sender, or are attached to the package data, then the processor may use this information in making the shipping assignment. The shipping assignment may be made based on rules or comparison to shipping information provided by the potential shippers.

[0027] The Sender may at this point opt for a manual review, in step 216, of the processor's proposed shipping assignment(s) and may override the assignment if, for example, additional information is known about a particular shipper or package that is not in the database. For example, if it is known that a particular shipper has a backlog of deliveries and the normal shipping times associated with that shipper may not apply, then it may be desirable manually to change the shipping assignment, in step 218, by selecting the next best shipper.

[0028] Figure 3 illustrates steps taken to process packages to be shipped. These steps can be effected at the Sender's location, for example, in its shipping and receiving area, or they can be effected at an intermediate shipping location apart from the Sender's location, for example, at a remote warehouse. As noted above, the package to be shipped is preferably already coded with an identifying barcode as noted above, which is initially scanned, in step 312. This scanning may be effected by scanning equipment well known in the art and not described here in detail. The identifying information contained in the barcode will allow the package data to be

correlated to the package. Based on the package data in database 602, processor 600 can determine whether the package requires a new address label, in step 314. If so, then the processor can generate an address label, which can be printed on a printer at the package's location and affixed to the package, in step 316. Such an address label may be needed if, for example, the package is to be shipped from an address remote from the Sender, such as from a remote warehouse. The shipping label, which will bear the information required in connection with the package's shipping assignment (such as a barcoded tracking number and shipper-determined sort codes), is then generated, printed, and affixed to the package, in step 318.

[0029] The tracking number from the shipping label and other information is then added, in step 320, to the corresponding record 616 in the database. This information will enable tracking of the items in the package to, and, if necessary, from, the Recipient. Note again that the package data in the database includes item data, and thus, each item can be tracked using the corresponding tracking number. Also, the package data may contain detailed information about the point of dispatch and the destination of the package. The processor can further add processing codes, such as entry point information if the package is destined for a particular port of entry into a country. The processor determines if the package is being sent to an international destination by analyzing the package data. The processor determines whether the package requires a customs form and/or commercial bill of lading, in step 322, based on known customs requirements for the destination. If so, then the appropriate customs documentation is generated and manually or automatically affixed, in step 324, to the package. The package may then be dispatched, in step 326, to the shipper. In some cases, customs clearance can be based solely on data transmitted to a customs broker.

[0030] At this point, information is compiled regarding the package shipping transaction, i.e. shipment data, and this data is added to the database 602 in correspondence with other package data for that package. The steps of this process are illustrated in Figure 4. Customs data, for example, item identification and value, is read from a record 616 and transmitted, in step 412, to the appropriate customs brokers, which utilize this information for facilitating a smooth passage of the

package through the appropriate customs offices. Actual shipping costs may then be calculated by the processor, in step 414, including the customs charges for each item in the package, based on the value of the items in the package and the prevailing duty and tax rates and customs fees in the country of destination. This calculation is especially important in the case of a subsequent return of an item or entire shipment, for example. At the same time, shipping invoices are generated and may be printed or viewed remotely from the processor. All of this information, and any overriding information received, such as information from the customs broker, is then added to the database, in step 416.

[0031] The next step is periodically to retrieve tracking data, in step 418, from each shipper that has been used, and to add this data to the appropriate record 616 in the database 602, in step 420. Such tracking data is updated periodically by the shipper, and this information may be automatically queried by the processor on a preset schedule, for example every hour. This querying can be continued until the package is indicated as delivered or as returned as non-deliverable. Finally, performance and cost reports are generated, in step 422, based on the package data. Such reports may include delivery time reports, delivery exception reports (such as bad addresses), marketing reports (such as distributions of customers by province or country, most popular items by country, etc.), shipping cost as a percentage of order value reports, revenue by Sender reports, and cost by shipper reports. Shipment information and reports are then made available to the Sender or its authorized users, in step 424. It is noted here that the Sender and its authorized users do not necessarily require direct access to the database. Instead, the database may be available as part of a Web site and the Sender and its authorized users may access the database and submit queries through the Web site, or the data may be made available in any other manner.

[0032] Figure 5 illustrates the steps for processing returned items. A first query is made of the shipment data in the database 602, in step 512, to determine whether the package was delivered to the Recipient's destination, based on tracking data obtained from the shipper. If not, then the Sender's return center would have received, in step 514, the undeliverable package without its ever having been under

the Recipient's control. The Sender's return center is defined here as the Sender's designated entity for receiving returned shipments, packages, and items. For international shipments, it is often desirable to have a return center located within the country of destination. If the package was in fact delivered to the Recipient, then a next query of the database is made, in step 516, to determine whether the package generated a return, i.e., whether some or all of the items in the package were received by the return center. Whether the return center received the package as undeliverable or received items as a return, the succeeding steps can be the same. The Sender or its agent records the returned item information, in step 520, and this information is added, in step 522, to the database 602. For example, upon receipt of a returned package, the return center personnel can examine the returned items and access record 616 corresponding to the returned item based on the order number, tracking number, recipient identity, or any other available information. The personnel can then use a data entry device to modify record 616 to reflect the identity and quantity of returned items. The data entry device can prompt the user to enter any shipping fees paid by the customer, notes relating to the reason for return, or any other relevant information.

[0033] Next, for certain international shipments, a duty and tax refund claim is generated, in step 524, based on the information in record 616, which is used to initiate refund actions for the duty and tax paid on the item, if any. This claim can be completed based on the item duty and tax rate information in the database 602. This claim may be submitted either by the Sender or automatically by the processor, depending on the Sender's preference. A U.S. (or other appropriate country) customs manifest can be generated, in step 526. Note that this customs manifest will facilitate re-entry of the return items into the country of dispatch. All information in the database can be made available, in step 528, to the Sender or its authorized agent. For example, the Sender can query the database for information relating to the status of all items and returned items based on dates, item type, or any other criterion.

[0034] The system also can be used to process returns when the original entry data is not in the database, such as, for example, when a Canadian Recipient returns merchandise that he bought from the Sender's store while visiting the United States. In such a case, the information may not already be in the database 602, but can be

entered by the return center personnel upon receipt of the returned items. From that point, the returns process is similar to the above scenario. The Sender or its agent records the return information, in step 520, and the returned item data is added, in step 522, to the database. Next, a duty and tax refund claim can be generated, in step 524. A U.S. customs manifest (or similar documentation for any other appropriate country) can be generated, in step 526. As above, a claim may be submitted either by the Sender or automatically by the processor, depending on the Sender's preference.

[0035] An apparatus for facilitating the shipment of a package is illustrated in Figure 6. The apparatus can be used to accomplish the procedures described above. The apparatus includes a processor 600 and a database 602 adapted in accordance with the preferred embodiment for storing and processing shipper, customs, and shipment data. As noted above, one type of database that can be used is organized by fields, records, and files, a field being a single piece of information; a record being a complete set of fields; and a file being a collection of records. The database 602 contains records 616, each of which contains a number of fields, the fields containing the package data.

[0036] A first communications link 604 connects the processor/database 602 with the Sender's terminal 606, which is adapted for selectively sending data to and receiving data from the database 602. A second communications link 608 allows transfer of data between a shipper's terminal 610 and the processor/database 602. A third communications link 612 allows communication between the processor/database 602 and a customs broker's terminal 614, the customs broker being an entity that facilitates entry of shipments into another country.

[0037] Recent advances in communication, the Internet in particular, have facilitated communication and data transmission. The Internet is a worldwide network of computers linked together by various hardware communication links all running a standard suite of protocols known as TCP/IP (transmission control protocol/Internet protocol). The growth of the Internet over the last several years has been explosive, fueled in the most part by the widespread use of software viewers, known as browsers, and HTTP (hypertext transfer protocol) which support the use of

a simple GUI (graphical user interface) to communicate. Browsers generally reside on client computers used to access the Internet. HTTP is a component of TCP/IP and provides users access to files of various formats using a standard page description language known as HTML (hypertext markup language). The collection of servers on the Internet using HTTP has become known as the "World Wide Web," or, simply, the "Web".

[0038] Through HTML and interactive programming protocols, the author of a particular Web page is able to make information available to viewers of the Web page by placing the Web page on an Internet Web server in HTML format. The network path to the server is identified by a URL (Uniform Resource Locator) and, generally, any client running a Web browser can access the Web page by the URL.

[0039] Thus, the above-described shipment apparatus may be facilitated by use of the Internet. In such an arrangement, the communications link 604, the communications link 608, and the communications link 612 may all be accomplished over the Internet. The processor 600 may be on an Internet Web server.

[0040] The Sender's terminal 606 of the preferred embodiment includes a computer, for example, a personal computer, with access to the Internet. The Sender's computer can request a display of a Web page stored on the processor/database 602 by issuing a URL request through the communications link 604 to a processor in a known manner. A URL consistent with the present invention may be a simple URL of the form:

<protocol identifiers>://<server path>/<web page path>

A "protocol identifier" of "http" specifies the conventional hyper-text transfer protocol. A URL request for a secure Internet transaction typically utilizes the secure protocol identifier "https," assuming that the browser and Web server control application support and implement the secure sockets layer. The "server path" is typically of the form "prefix.domain," where the prefix is typically "www" to designate a Web server and the "domain" is the standard Internet sub-domain.top-level-domain of the processor/database 602. The optional "web page path" is provided

specifically to identify a particular hyper-text page maintained on the processor/database 602. CGI scripts, Active Server Pages, or other technologies can be used to facilitate interactivity over the Internet.

[0041] The input device of the preferred embodiment typically includes a keyboard, a mouse, a bar code scanner, and a scale. However, the input device can include any number or combination of a keypad, keyboard, mouse, bar code reader, text scanner, image scanner, scale, or any other device for inputting data.

[0042] Similarly, the shipper's terminal 610 may comprise a computer similarly configured and connected to the Internet for displaying and inputting data through the second communications link 608 to the processor/database 602. Likewise, the customs broker's terminal 614 may also comprise a computer similarly configured and connected to the Internet for displaying and inputting data through the third communications link 612 to the processor/database 602.

[0043] In such an arrangement, the Internet acts as the first, second, and third communications links 604, 608, and 612 between the processor/database 602 and the Sender's terminal 606, between the processor/database 602 and the shipper's terminal 610, and between the processor/database 602 and the customs broker's terminal 614.

[0044] The invention may be embodied in other specific forms without departing from the spirit or essential characteristics thereof. The disclosed embodiments are therefore to be construed in all respects as illustrative and not restrictive, the scope of the invention being defined by the appended claims, and all changes that come within the meaning and range of equivalency of the claims are therefore intended to be embraced therein.

0996825 "13001"